


**TABLE 1.2.3**

**MONTHLY MEAN TEMPERATURES IN NORTHERN  
NEW JERSEY (DIVISION 1) FROM 1997-2001  
(°F)**

**Division 1 includes Bergen, Essex, Hudson, Hunterdon, Morris, Passaic,  
Somerset, Sussex, Union, and Warren counties and covers 37% of NJ**

Year	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Avg	Departure From Normal
1997	27.9	35.9	39.0	47.5	56.2	67.7	73.1	69.9	63.0	52.7	40.3	34.5	50.6	-0.3
1998	36.5	37.3	41.9	51.5	63.2	67.5	73.7	73.7	66.9	54.0	43.4	38.8	54.0	3.1
1999	29.9	33.3	38.4	49.5	59.5	70.2	77.8	72.6	65.9	51.4	46.7	35.7	52.6	1.7
2000	27.5	32.2	43.6	48.3	60.8	68.7	69.5	69.4	62.8	53.1	41.6	27.3	50.4	-0.5
2001	28.0	32.1	36.4	50.4	61.0	69.8	70.4	74.9	64.6	54.5	47.4	39.8	52.4	1.5
Mean (1997-2001)	30.0	34.2	39.9	49.4	60.1	68.8	72.9	72.1	64.6	53.1	43.9	35.2	52.0	1.1
Mean (1895-2001)	28.3	29.4	38.2	48.8	59.4	68.1	73.0	71.1	63.7	53.1	42.6	32.2	50.7	-0.2
Normal (1971-2000)	28.0	30.5	39.1	49.1	59.5	68.1	73.2	71.3	63.7	52.3	43.0	33.1	50.9	"Normal"

**MONTHLY MEAN TEMPERATURES IN NORTHERN NEW JERSEY (JAN 1997 - DEC 2001)**



All data obtained from the Office of the NJ State Climatologist at Rutgers University

**TABLE 1.2.4**

<b>MONTHLY MEAN TEMPERATURES IN NORTHERN NEW JERSEY (DIVISION 1) FROM 1959-1970</b> (°F) Division 1 includes Bergen, Essex, Hudson, Hunterdon, Morris, Passaic, Somerset, Sussex, Union, and Warren counties and covers 37% of NJ														
Year	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Avg	Departure From Normal
1959	28.5	29.1	37.8	51.5	63.0	69.1	73.9	73.7	67.7	56.4	42.7	34.5	52.3	1.4
1960	31.0	34.0	30.4	53.0	59.1	68.2	71.0	71.5	64.0	52.6	44.6	25.2	50.4	-0.5
1961	21.8	31.6	38.7	45.8	57.0	68.6	73.3	71.7	70.3	55.5	44.6	31.0	50.8	-0.1
1962	28.0	27.5	38.5	50.1	61.2	69.5	70.3	69.7	60.5	53.5	39.7	27.8	49.7	-1.2
1963	25.3	23.1	39.1	49.7	57.5	67.9	73.0	69.0	60.0	57.0	47.0	26.3	49.6	-1.3
1964	29.9	28.4	39.7	47.1	61.5	66.8	73.2	68.8	64.8	50.6	45.3	32.1	50.7	-0.2
1965	25.3	29.3	36.3	46.4	63.6	67.5	71.1	70.5	65.0	50.5	41.6	34.2	50.1	-0.8
1966	27.4	29.6	39.2	45.3	55.8	69.5	74.9	72.2	61.7	50.8	44.3	32.1	50.2	-0.7
1967	32.4	25.7	34.3	47.9	51.9	69.8	71.8	69.8	61.7	51.8	38.5	33.7	49.1	-1.8
1968	22.7	26.5	40.5	51.6	56.1	66.4	73.6	71.8	65.5	55.3	42.5	29.3	50.1	-0.8
1969	27.2	29.9	36.3	51.5	60.0	69.2	70.9	72.3	64.3	52.0	42.0	29.4	50.4	-0.5
1970	20.9	29.3	35.0	48.0	60.5	66.9	73.5	72.6	65.9	54.5	44.5	31.7	50.3	-0.6
Mean (1959-1970)	26.7	28.2	37.1	48.9	56.9	68.4	72.9	71.7	63.8	52.9	42.4	31.2	50.1	-0.8
Mean (1895-2001)	28.3	29.4	38.2	48.8	59.4	68.1	73.0	71.1	63.7	53.1	42.6	32.2	50.7	-0.2
Normal (1971-2000)	28.0	30.5	39.1	49.1	59.5	68.1	73.2	71.3	63.7	52.3	43.0	33.1	50.9	"Normal"