


TABLE 1.2.5

**MONTHLY PRECIPITATION IN NORTHERN
NEW JERSEY (DIVISION 1) FROM 1997-2001
(Inches)**

**Division 1 includes Bergen, Essex, Hudson, Hunterdon, Morris, Passaic,
Somerset, Sussex, Union, and Warren counties and covers 37% of NJ**

Year	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Total	Departure From Normal
1997	3.61	1.79	4.33	3.82	3.42	2.57	6.13	4.28	2.98	2.15	4.12	4.05	43.25	-6.54
1998	3.75	4.71	4.12	5.71	6.91	6.27	1.78	3.03	2.30	3.02	1.41	1.04	44.05	-5.74
1999	7.51	2.78	5.17	2.40	3.32	1.06	1.03	4.98	12.04	3.17	2.76	2.77	48.99	-0.80
2000	3.22	2.17	3.55	3.66	4.83	4.81	5.89	5.54	3.92	0.99	3.07	4.57	46.22	-3.57
2001	2.64	2.67	5.51	1.85	3.76	6.16	2.69	3.08	4.31	0.74	1.12	2.43	36.96	-12.83
Mean (1997-2001)	4.15	2.82	4.54	3.49	4.45	4.17	3.50	4.18	5.11	2.01	2.50	2.97	43.89	-5.90
Mean (1895-2001)	3.42	3.07	3.90	3.87	3.94	3.94	4.66	4.46	4.05	3.57	3.54	3.55	45.96	-3.83
Normal (1971-2000)	4.02	2.97	4.11	4.24	4.72	4.31	4.72	4.36	4.68	3.79	4.09	3.79	49.79	"Normal"




All data obtained from the Office of the NJ State Climatologist at Rutgers University

TABLE 1.2.6

<p align="center">MONTHLY PRECIPITATION IN NORTHERN NEW JERSEY (DIVISION 1) FROM 1959-1970 (Inches)</p> <p align="center">Division 1 includes Bergen, Essex, Hudson, Hunterdon, Morris, Passaic, Somerset, Sussex, Union, and Warren counties and covers 37% of NJ</p>														
Year	Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Avg	Departure From Normal
1959	2.51	2.02	3.78	3.02	1.45	5.10	4.00	5.77	2.43	5.86	3.90	4.66	44.50	-5.29
1960	3.29	4.24	2.36	3.72	4.22	2.35	7.92	5.92	7.17	2.10	2.31	2.86	48.46	-1.33
1961	2.88	3.40	4.91	5.68	3.58	2.58	6.44	4.42	1.96	1.92	3.22	3.36	44.35	-5.44
1962	2.79	4.14	3.10	4.21	1.49	3.63	2.56	5.58	3.52	3.58	4.43	2.65	41.68	-8.11
1963	2.53	2.35	3.45	0.86	2.91	2.59	3.23	2.21	4.40	0.37	6.94	2.11	33.95	-15.84
1964	4.65	2.83	2.24	5.74	1.19	3.33	4.40	0.64	1.59	1.21	2.43	4.40	34.65	-15.14
1965	2.64	3.08	2.83	2.43	1.54	1.34	2.37	3.96	2.82	3.41	2.03	2.01	30.46	-19.33
1966	3.05	3.72	2.43	2.75	3.88	1.04	1.47	2.59	7.24	4.21	3.80	3.91	40.09	-9.70
1967	1.47	2.04	6.17	2.68	3.90	3.55	6.45	7.11	2.11	2.78	2.43	5.53	46.22	-3.57
1968	2.28	0.98	4.48	2.76	7.29	5.52	1.51	3.20	2.32	2.51	4.99	3.86	41.70	-8.09
1969	1.69	2.17	3.30	3.52	2.87	3.75	8.56	4.54	5.39	1.81	3.54	5.75	46.89	-2.90
1970	0.81	3.47	3.58	4.05	3.29	2.73	3.45	4.45	2.29	4.54	5.65	2.74	41.05	-8.74
Mean (1959-1970)	2.55	2.87	3.55	3.45	3.13	3.13	4.36	4.20	3.60	2.86	3.81	3.65	41.17	-8.62
Mean (1895-2001)	3.42	3.07	3.90	3.87	3.94	3.94	4.66	4.46	4.05	3.57	3.54	3.55	45.96	-3.83
Normal (1971-2000)	4.02	2.97	4.11	4.24	4.72	4.31	4.72	4.36	4.68	3.79	4.09	3.79	49.79	"Normal"

1997												1998	
Jan	Feb	Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Jan	Feb
3.61	1.79	4.33	3.82	3.42	2.57	6.13	4.28	2.98	2.15	4.12	4.05	3.75	4.71
4.02	2.97	4.11	4.24	4.72	4.31	4.72	4.36	4.68	3.79	4.09	3.79	4.02	2.97



											1999		
Mar	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar	April
4.12	5.71	6.91	6.27	1.78	3.03	2.30	3.02	1.41	1.04	7.51	2.78	5.17	2.40
4.11	4.24	4.72	4.31	4.72	4.36	4.68	3.79	4.09	3.79	4.02	2.97	4.11	4.24



													2000	
May	June	July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar	April	May	June	
3.32	1.06	1.03	4.98	12.04	3.17	2.76	2.77	3.22	2.17	3.55	3.66	4.83	4.81	
4.72	4.31	4.72	4.36	4.68	3.79	4.09	3.79	4.02	2.97	4.11	4.24	4.72	4.31	

2001

July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar	April	May	June	July	Aug
5.89	5.54	3.92	0.99	3.07	4.57	2.64	2.67	5.51	1.85	3.76	6.16	2.69	3.08
4.72	4.36	4.68	3.79	4.09	3.79	4.02	2.97	4.11	4.24	4.72	4.31	4.72	4.36

Sept	Oct	Nov	Dec
4.31	0.74	1.12	2.43
4.68	3.79	4.09	3.79

